



Image

1722

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :
Worley, et al. : Group Art Unit: 1722
Serial No.: 09/923,974 : Examiner: Leyson, Joseph S.
Filed: August 7, 2001 :
For: CROSSHEAD EXTRUSION SYSTEM :

RESPONSE

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450
Sir:

This is in response to the Patent and Trademark Office (PTO) communication dated September 17, 2003. Accordingly, Applicants enclose herewith the following:

1. The entire "Amendments to the claims" section of applicants' amendment document filed on September 3, 2003, revised to now include the text for withdrawn claims 15-18.

FEES:

It is believed that no fees are required for this Response. However, if through inadvertence, sufficient fees do not accompany this paper, please charge the Dayco Deposit Account No. 04-0375 for any missing fees that may be required so that this paper will be fully effective on the effective date thereof.

REMARKS:

It is believed that Applicants have complied with all requirements set forth in the PTO communication.

Respectfully submitted,

JOE C. WORLEY, ET AL.

By

Joseph V. Tassone

Joseph V. Tassone, Reg. No. 20,998
Attorney for the Applicants
Dayco Products, LLC
1 Prestige Place
Miamisburg, Ohio 45342

Date: September 30 2003
Phone: (937) 226-5725